The main block of this two part frame house with brick ends is Federal in Character, being of two and one half storys with an end hall and double parler floor plan. and having two exterior chimneys. At the chimney end stands a lower two and one half story later wing.

The existing house replaces an earlier structure said to have been burned by the British ca. 1812. The original Hallowing Point tract was a 1653 grant to John Ashcome.

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

NAME				
HISTORIC	wing Doint Form			
AND/OR COMMON	wing Point Farm			
LOCATION	J .			
STREET & NUMBER				
(MD Rt. 2	31) Hallowing Point F	load		
CITY, TOWN		CONGRESSIONAL DISTRICT		
	ving Point x	VICINITY OF Burch	Calvert COUNTY	
STATE MD	•		COUNTY	
CLASSIFIC	CATION			
OM 10011 10			·	
CATEGORY	OWNERSHIP	STATUS	PRES	ENT USE
DISTRICT	PUBLIC	X_OCCUPIED	X AGRICULTURE	MUSEUM
XBUILDING(S)	X PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
STRUCTURE	вотн	_WORK IN PROGRESS	EDUCATIONAL	X_PRIVATE RESIDENCE
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS
OBJECT	IN PROCESS	X_YES: RESTRICTED	GOVERNMENT	SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	TRANSPORTATION
		_NO .	MILITARY	OTHER:
OWNER O	F PROPERTY			
NAME				
Ashcor	mb Gourley	•	Telephone #:	
STREET & NUMBER	•			
Rt.	231	· · · · · · · · · · · · · · · · · · ·	MD OT AT A	
CITY, TOWN	lastus Datuk	VICINITY OF •	STATE, Z	ip code
	lowing Point			
LUCATION	N OF LEGAL DESCI	CIPTION	Liber #: AAH 23	
COURTHOUSE.			Folio #: 27	
REGISTRY OF DEEDS,	VETC. Calvert County C	ourthouse		
NEGISTRY OF DEEDS,				
STREET & NUMBER				
			STATE	
STREET & NUMBER	Prince Frederick		STATE MD	
STREET & NUMBER	Prince Frederick	ING SURVEYS	MD	
STREET & NUMBER		ING SURVEYS	MD	
CITY, TOWN REPRESEN		ING SURVEYS	MD	
STREET & NUMBER CITY, TOWN REPRESEN TITLE DATE			MD	
CITY, TOWN REPRESEN TITLE			MD .	
STREET & NUMBER CITY, TOWN REPRESEN TITLE DATE DEPOSITORY FOR			MD .	

CONDITION

CHECK ONE

CHECK ONE

__EXCELLENT

__DETERIORATED

__UNALTERED

XORIGINAL SITE

__GOOD

__RUINS __UNEXPOSED *ALTERED

__MOVED DATE_

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The north wing or main block is quite consistent with the period being side-hall and double-parlor in plan. The moulding and mantles are consistent with the period too although they appear late in date. The mantles are not finely carved but "blocked-off" as was the style by attached mouldings. The doorways are decorated with bulls-eye corner blocks. If H. R. Hitchcock is to be believed, these could not be dated much before the 1820's

The hall is 12-14' wide and contains a grand stairs which turn and bend from landing to landing all of the way to the 3rd level. It has a fine dark wood (walnut?) bannister and scrolled step-ends. By being on the north side of the house this hall forms a good insulation for the parlors. Because of the opposite doors on the east and west sides it provides a cool room in the summer.

On the second floor there are two bedrooms the size of the parlors below plus a smaller third room which occupies half of the hall space. There are two more smaller rooms on the third level. Where construction is taking place, hewn study were observed in the wall separating these two rooms.

A large two story wing extends from the main block to the south. The present dining room and kitchen are contained in this wing on the first floor and there are bedrooms above. In the north bedroom of this wing one can see clapboards belonging to the original exterior of the main block.

The present owner, Kenneth Brooks recalls his grandparents having made many changes to the house. Mr. Gourley was a riverboat man who was away much of the time and he used to joke about being afraid to come home for fear of not recognizing the house. It seems that the house had deteriorated considerably prior to the Gourleys buying it and Mrs. Gourley was determined to make it liveable. She not only cleaned up, but redecorated and even redesigned by knocking out walls, and cutting through doors. She moved the meathouse and put in a flower garden, added a kitchen wing, and had porches built on both the east and west facades. Mrs. Gourley is said to have kept a carpenter in residence on the property keeping him busy for two years.

The porches or portices that were built are in keeping with the Federal character of the house, however, they are relatively modern additions. It can be seen in accompanying photographs that the fenestration differs in the two wings. The main block has large 6/6 windows with many panes still containing early bubled glass. The south wing contains 9/6 windows very like those in the mid-nineteenth century addition at "Stonesby" (CLVT-47). A window in the west bedroom on the second floor of the main block has the name "Maggie Sollers" scratched into it with the date "1849". Common to this plan are the double-end chimneys which serve fireplaces in both parlors and the two main bedrooms. Family tradition holds that these chimneys were built with bricks salvaged from the house destroyed by the British.

SPECIFIC DAT		INVENTION		OTHER (SPECIFY)
_1800-1899 1900-	COMMERCECOMMUNICATIONS	EXPLORATION/SETTLEMENTINOUSTRY	PHILOSOPHYPOLITICS/GOVERNMENT	_TRANSPORTATION
_1700-1799	ART	ENGINEERING	MUSIC	THEATER
1600-1699	XARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
_1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	RELIGION SCIENCE
PERIOD PREHISTORIC	AF ARCHEULUGY-PREHISTORIC	REAS OF SIGNIFICANCE CF —COMMUNITY PLANNING	IECK AND JUSTIFY BELOW LANOSCAPE ARCHITECTURE	

STATEMENT OF SIGNIFICANCE

According to the present owner, his grandparents purchased this property in the 1890's from Henry Morton whose family had built the house following the British march through Benedict. British forces destroyed the earlier house on the farm necessitating the erection of a new house, the present structure.

(See survey file for little search)

MAJOR BIBLIOGRAPHICAL REFERENCES

CONTINUE ON SEPARATE S	HEET IF NECESSARY	•
10 GEOGRAPHICAL DATA	1	
ACREAGE OF NOMINATED PROPERTY		
	•	
		_
VERBAL BOUNDARY DESCRIPTION		
	•	
LIST ALL STATES AND COUNT	TES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES	_
	COUNTY	
STATE		_
STATE	COUNTY	
TODA DEDARED BY		_
NAME / TITLE	Description and significance statements: Wayne Nield	
Form compiled by:	Marry Stinson Feb. 1978	
ORGANIZATION	Marry Stinson teb. 1718 architectural consultant 757-2815	
STREET & NUMBER	Ot 5 Rac 262 B	
CITY OR TOWN	Ri. 5 Box 262 B \ Annopolis, Md. 21401 STATE	_
	Hanopous, Muc. 41401	-

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust

The Shaw House, 21 State Circle

Annapolis, Maryland 21401

(301) 267-1438

Outbuildings

Like other farms of that era "Hallowing Point" had many outbuildings each relative to a specific function. The ice house and dairy have been demolished as well as the oldest barn. Other buildings survive, however, and at least two of these claim an early date. One of them is the meathouse.

Although it was moved during the first decade of this century, the meathouse has remained in tact. It is possible that the present siding is replacement material. Inside, however, one can see a proper post-and-beam frame made from heavy timbers (well dressed and not rough; surfaces even appear planed) joined by mortise-and-tenon and fixed with trunnels. Thinner studs are placed every 2. This nearly 15. square, measuring 15. on the east side and 14.8 across the north facade. It is 9. between the ground and plates and is capped by a fairly steep gable end roof.

Barn and Stables

About fifty yards east of the house on the south side of the entrance road is a complex of buildings containing a tobacco barn, a cornhouse and a stable. Mr. Brooks recalls that the oldest tobacco barn which used to stand on the northside of the driveway was torn down in the 1920's. Materials from that barn may have been used in constructing the present barn. It is built primarily out of circular sawn timber joined with wire nails, although a few sills, braces, and uprights appear to be hewn pieces which contain non-functional mortises and auger holes.

The cornhouse also contains modern materials, however neither of these buildings should be dismissed as worthless for both are examples of early twentieth century farm structures which represent a lifestyle that has passed forever not only on this farm but throughout the county. Few new tobacco barns are being built and cornhouses are sometimes used but seldom replaced.

There is no question that the stable is an important structure. Its hewn post-and-beam frame and the early cut nails present immediately suggest its early age. With the age of horse drawn vehicles only half a century behind us it is surprising how few architectural traces of it remain. Some tobacco barns still retain sheds which were used as animal shelters and some carriage houses have been recorded. Nevertheless, given the importance of horses to travel one would expect to find as many stables as meathouses, barns, or cornhouses. This is not the case however, and the stable at "Hallowing Point Farm" is the first early building devoted exclusively to this purpose that has been recorded in the county.

The stable building is 40'6" long, it is 14' deep and there is 8' between the ground and the eaves. The gable-end roof accomodates a loft which is reached by stairs from within. The interior is divided into four bays with three of them to house animals and the fourth on the west end probably being a storage room for tack and feed. The west corner of this

room contains the stairs to the loft. The room is made seperate from the rest of the building by a plank partition. The other bays are divided by fences. A 2' passageway runs along the north wall providing access to all four bays.

The loft is finished with a plank floor and has doors in the gable ends for loading and unloading.

The post-and-beam construction of this building is consistent with the frames of early tobacco barns. It is important to realize that the side plates are continuous (40'6") and required considerable labor in processing a very large tree. In the loft the rafters are exposed revealing that the trusses are formed by lap-joining hewn pieces and fixing them with cut nails which appear to have hand fashioned heads. Theye are quite irregular when compared to the machine cut nails found in the wall of the tack room or the siding.

Form 10-445 (5/62)

Maryland 1. STATE Calvert County COUNTY TOWN Hallowing Point STREET NO.

Ashcom Family ORIGINAL OWNER ORIGINAL USE Dwelling PRESENT OWNER T. Ashcom Gurley PRESENT USE Dwelling WALL CONSTRUCTION

Clapboard

HISTORIC AMERICAN BUILDINGS SURVEY INVENTORY CT-36

2. NAME Hallowing Point Farm

C. 1820 DATE OR PERIOD STYLE Maryland Colonial ARCHITECT

BUILDER

3. FOR LIBRARY OF CONGRESS USE

NO. OF STORIES 2-1/2 w/smaller 2-1/2 addition

4. NOTABLE FEATURES, HISTORICAL SIGNIFICANCE AND DESCRIPTION

OPEN TO PUBLIC NO

This is a large house whose style harkens back to the 18th century. It is 3 bays wide and 2 deep with a large steeply pitched A-roof. It is 2-1/2 storys in height. The windows on the first floor are 9/6 while those on the second are 6/6. There are two 6/6peaked dormers on both the front and back roof. A porch has been added over the door, which occupies the left front bay. The proportions in this house are very generous, making it a very big and high house.

There are twin chimneys on the right end of the house, separated from the wall above the second story level. There is a one story frame pent between the chimneys. Also, at the right end of the house and set back slightly is a much lower 2-1/2 story 3 bay wide A-roof addition with one dormer on its front and one on its back roof. It has an exterior chimney on its right end which is separated from the wall above the second story level. This wing is also C. 1820.

The hallway of the house has interesting panelling - the step ends are scrolled in a stylized wave motif and the stair curves as it goes up to the second story.

The old Manor House which stood on this lovely site on the (CONTINUED ON BACK SIDE)

5. PHYSICAL CONDITION OF STRUCTURE Endongered

Exterior

Very Good Condition

6. LOCATION MAP (Plan Optional)

7. PHOTOGRAPH

8. PUBLISHED SOURCES (Author, Title, Poges) INTERVIEWS, RECORDS, PHOTOS, ETC.

9. NAME, ADDRESS AND TITLE OF RECORDER


PAB 7/20/67


DATE OF RECORD


Patuxent was burned by the British in the War of 1812 and this house was built shortly thereafter to replace it.

It is an interesting and well-maintained old house.

An upstairs windowpane has the date August 23, 1847 scratched into it.







Hallowing & Point Farm Exited

MEAT MSE.

wayne Mielo



CLVT-36 Stable 6. w. Hallowing Point

Wayne Nielo Jul 77



Hallowing Point

8.

Wayne Wie LD



CLUT - 36 Hallowing Point farm

₩.

Wayne Nicub

